

TAXA THAT MAY BE HELD PRIVATELY UNDER A WILDLIFE BASIC LICENCE

This publication is intended as a general summary only and may be of assistance to you, but the State of Victoria and its employees do not guarantee that the publication is without flaw of any kind or is wholly appropriate to your particular purposes and therefore disclaims all liability for any error, loss or other consequence which may arise from you relying on any information in this publication.

Anyone possessing wildlife should familiarise themselves with the relevant licensing provisions of the Wildlife Act 1975 and Wildlife Regulations 2013, including any subsequent amendments.

A copy of the Wildlife Regulations 2013 is available online at: www.depi.vic.gov.au.

BIRDS

Australasian Shoveler	<i>Anas rhynchotis</i>
Australian King-Parrot	<i>Alisterus scapularis</i>
Australian Magpie	<i>Craticus tibicen</i>
Australian Ringneck	<i>Barnardius zonarius</i> , except <i>semitorquatus</i>
Australian Shelduck	<i>Tadorna tadornoides</i>
Banded Lapwing	<i>Vanellus tricolor</i>
Bar-shouldered Dove	<i>Geopelia humeralis</i>
Black Swan	<i>Cygnus atratus</i>
Black-breasted Button-quail	<i>Turnix melanogaster</i>
Black-tailed Native-hen	<i>Gallinula ventralis</i>
Black-throated Finch	<i>Poephila cincta</i>
Blue Bonnet all kinds, except southern Western Australian form	<i>Northiella haematogaster</i> , except <i>Northiella haematogaster narethae</i> <i>narethae</i>
Blue-winged Parrot	<i>Neophema chrysostoma</i>
Brown Cuckoo-Dove	<i>Macropygia amboinensis</i>
Brown Quail	<i>Coturnix ypsilophora</i>
Brush Bronzewing	<i>Phaps elegans</i>
Cape Barren Goose	<i>Cereopsis novaehollandiae</i>
Chestnut Teal	<i>Anas castanea</i>
Chestnut-backed Button-quail	<i>Turnix castanota</i>
Crimson Finch	<i>Neochmia phaeton</i>
Diamond Firetail	<i>Stagonopleura guttata</i>
Eclectus Parrot (red-sided) Australian subspecies only	<i>Eclectus roratus macgillivrayi</i>
Emu	<i>Dromaius novaehollandiae</i>
Flock Bronzewing	<i>Phaps histrionica</i>
Golden-shouldered Parrot	<i>Psephotus chrysopterygius</i>

Grey Teal	<i>Anas gracilis</i>
Hardhead	<i>Aythya australis</i>
Laughing Kookaburra	<i>Dacelo novaeguineae</i>
Little Button-quail	<i>Turnix velox</i>
Little Lorikeet	<i>Glossopsitta pusilla</i>
Magpie Goose	<i>Anseranas semipalmata</i>
Maned Duck	<i>Chenonetta jubata</i>
Masked Finch	<i>Poephila personata</i>
Masked Lapwing	<i>Vanellus miles</i>
Mulga Parrot	<i>Psephotus varius</i>
Pacific Black Duck	<i>Anas superciliosa</i>
Painted Button-quail	<i>Turnix varia</i>
Partridge Pigeon	<i>Geophaps smithii</i>
Pictorella Mannikin	<i>Heteromunia pectoralis</i>
Pied Imperial-Pigeon	<i>Ducula bicolor</i>
Pink-eared Duck	<i>Malacorhynchus membranaceus</i>
Plumed Whistling-Duck	<i>Dendrocygna eytoni</i>
Purple-crowned Lorikeet	<i>Glossopsitta porphyrocephala</i>
Radjah Shelduck	<i>Tadorna radjah</i>
Red Wattlebird	<i>Anthochaera carunculata</i>
BIRDS (cont).	
Red-backed Button-quail	<i>Turnix maculosa</i>
Red-browed Finch	<i>Neochmia temporalis</i>
Red-capped Parrot	<i>Purpureicephalus spurius</i>
Red-chested Button-quail	<i>Turnix pyrrhothorax</i>
Red-collared Lorikeet	<i>Trichoglossus haematodus rubritorquis</i>
Red-winged Parrot	<i>Aprosmictus erythropterus</i>
Regent Parrot - South East subspecies	<i>Polytelis anthopeplus monarchoides</i>
Regent Parrot - Western Australian subspecies	<i>Polytelis anthopeplus anthopeplus</i>
Rock Parrot	<i>Neophema petrophila</i>
Rose-crowned Fruit-Dove	<i>Ptilinopus regina</i>
Rosellas— all except Western Rosella & Eastern Rosella	<i>Platycercus</i> species, except <i>Platycercus icterotis</i> & <i>Platycercus eximus</i>

Silvereye	<i>Zosterops lateralis</i>
Spinifex Pigeon	<i>Geophaps plumifera</i>
Squatter Pigeon	<i>Geophaps scripta</i>
Superb Parrot	<i>Polytelis swainsonii</i>
Topknot Pigeon	<i>Lopholaimus antarcticus</i>
Varied Lorikeet	<i>Psitteuteles versicolour</i>
Wandering Whistling-Duck	<i>Dendrocygna arcuata</i>
White-headed Pigeon	<i>Columba leucomela</i>
Wonga Pigeon	<i>Leucosarcia melanoleuca</i>
Yellow-rumped Mannikin	<i>Lonchura flaviprymna</i>

REPTILES

Australian Scrub Python	<i>Morelia kinghorni</i>
Beaded Gecko	<i>Lucasium damaeum</i>
Bearded Dragon	<i>Pogona barbata</i>
Black Rock Skink	<i>Egernia saxatilis</i>
Black-headed Monitor	<i>Varanus tristis</i>
Black-headed Python	<i>Aspidites melanocephalus</i>
Bougainville's Skink	<i>Lerista bougainvillii</i>
Boulenger's Skink	<i>Morethia boulengeri</i>
Broad-shelled River Turtle	<i>Chelodina expansa</i>
Burrowing Skink	<i>Lerista picturata</i>
Burton's Snake-Lizard	<i>Lialis burtonis</i>
Bynoe's Gecko	<i>Heteronotia binoei</i>
Carpet or Diamond Python	<i>Morelia spilota</i>
- including:	
Diamond Python	<i>M. s. spilota</i>
Centralian Carpet Python	<i>M. s. bredli</i>
Top End Carpet Python	<i>M. s. variegata</i>
Eastern Carpet Python	<i>M. s. mcdowellii</i>
Jungle Carpet Python	<i>M. s. cheynei</i>
Murray/Darling Carpet Python	<i>M. s. metcalfei</i>
Western Carpet Python	<i>M. s. imbricata</i>
Central Bearded Dragon	<i>Pogona vitticeps</i>
Central Military Dragon	<i>Ctenophorus isolepis</i>
Central Netted Dragon	<i>Ctenophorus nuchalis</i>
Centralian Blue-tongued Lizard	<i>Tiliqua multifasciata</i>

Centralian Ranges Rock-skink	<i>Liopholis margaretae</i>
Children's Python	<i>Antaresia childreni</i>
Common or Green Tree Snake	<i>Dendrelaphis punctulata</i>
Common Scaly-foot	<i>Pygopus lepidopodus</i>
Crested Dragon	<i>Ctenophorus cristatus</i>
Desert Cave Gecko	<i>Heteronotia spelea</i>
Eastern Hooded Scaly-foot	<i>Pygopus schraderi</i>
Eastern Stone Gecko	<i>Diplodactylus vittatus</i>

REPTILES (cont).

Eastern Three-lined Skink	<i>Acritoscincus duperreyi</i>
Eastern Water Dragon	<i>Physignathus lesueurii lesueurii</i>
Eastern Water Skink	<i>Eulamprus quoyii</i>
Eyrean Earless Dragon	<i>Tympanocryptis tetraporophora</i>
Garden Skink	<i>Lampropholis delicata</i>
Gidgee Skink	<i>Egernia stokesii</i>
Gilbert's Dragon	<i>Amphibolurus gilberti</i>
Gippsland Water Dragon	<i>Physignathus lesueurii howittii</i>
Grass Skink	<i>Lampropholis guichenoti</i>
Hosmer's Skink	<i>Egernia hosmeri</i>
Jacky Lizard	<i>Amphibolurus muricatus</i>
Keelback	<i>Tropidonophis mairii</i>
King's Skink	<i>Egernia kingii</i>
Krefft's River Turtle	<i>Emydura krefftii</i>
Lace Monitor	<i>Varanus varius</i>
Land Mullet	<i>Bellatorias major</i>
Long-nosed Water Dragon	<i>Amphibolurus longirostris</i>
Major Skink	<i>Bellatorias frerei</i>
Mallee Military Dragon	<i>Ctenophorus fordii</i>
Mangrove Monitor	<i>Varanus indicus</i>
Marbled Velvet Gecko	<i>Oedura marmorata</i>
Mary River Tortoise	<i>Elusor macrurus</i>
Merten's Water Monitor	<i>Varanus mertensi</i>
Narrow-banded Sand Swimmer	<i>Eremiascincus fasciolatus</i>

Northern Dtella	<i>Gehyra australis</i>
Northern Snapping Turtle	<i>Elseya dentate</i>
Northern Spiny-tailed Gecko	<i>Strophurus ciliaris</i>
Northern Tree Snake	<i>Dendrelaphis calligastra</i>
Oblong Turtle	<i>Chelodina oblonga</i>
Ocellated Skink	<i>Ctenotus pantherinus</i>
Olive Legless Lizard	<i>Delma inornata</i>
Olive Python	<i>Liasis olivaceus</i>
Painted Dragon	<i>Ctenophorus pictus</i>
Pale Knob-tailed Gecko	<i>Nephrurus laevis</i>
Peninsula Dragon	<i>Ctenophorus fionni</i>
Pink-tongued Lizard	<i>Cyclodomorphus gerrardii</i>
Pygmy Mulga Monitor	<i>Varanus gilleni</i>
Red-barred Dragon	<i>Ctenophorus vadrappa</i>
Red-throated Skink	<i>Acritoscincus platynota</i>
Regal Striped Skink	<i>Ctenotus regius</i>
Ridge-tailed Monitor	<i>Varanus acanthurus</i>
Sand Monitor	<i>Varanus gouldii</i>
Saw-shelled Turtle	<i>Wollumbinia latisternum</i>
Shingle-Back Lizard	<i>Tiliqua rugosus</i>
Slatey-grey Snake	<i>Stegonotus cucullatus</i>
Smooth Knob-tailed Gecko	<i>Nephrurus levis</i>
Southern Angle-headed Dragon	<i>Hypsilurus spinipes</i>
Southern Grass Skink	<i>Pseudemoia entrecasteauxii</i>
Southern Legless Lizard	<i>Delma australis</i>
Southern Spiny-tailed Gecko	<i>Strophurus intermedius</i>
Southern Spotted Velvet Gecko	<i>Oedura tryoni</i>
Southern Water Skink	<i>Eulamprus tympanum tympanum</i> subspecies only
Spencer's Skink	<i>Pseudemoia spenceri</i>
Spotted Python	<i>Antaresia maculosus</i>
Stimson's Python	<i>Antaresia stimsoni</i>
Storr's Monitor	<i>Varanus storri</i>

REPTILES (cont).

Tawny Dragon	<i>Ctenophorus decresii</i>
Tessellated Gecko	<i>Diplodactylus tessellatus</i>
Thick-tailed Gecko	<i>Underwoodisaurus milii</i>
Tree Dtella	<i>Gehyra variegata</i>
Tree Skink	<i>Egernia striolata</i>
Water Python	<i>Liasis mackloti</i>
Western Blue-tongued Lizard	<i>Tiliqua occipitalis</i>
Western Hooded Scaly-foot	<i>Pygopus nigriceps</i>
Western Netted Dragon	<i>Ctenophorus reticulatus</i>
Western Stone Gecko	<i>Diplodactylus granariensis</i>
Woma Python	<i>Aspidites ramsayi</i>

AMPHIBIANS

Blue Mountains Tree Frog	<i>Litoria citropa</i>
Brown Striped Frog	<i>Limnodynastes peronii</i>
Common Spadefoot Toad	<i>Neobatrachus sudelli</i>
Dainty Green Tree Frog	<i>Litoria gracilentia</i>
Eastern Dwarf Tree Frog	<i>Litoria fallax</i>
Giant Barred Frog	<i>Mixophyes iteratus</i>
Giant Tree Frog	<i>Litoria infrafrenata</i>
Great Barred Frog	<i>Mixophyes fasciolatus</i>
Green Tree Frog	<i>Litoria caerulea</i>
Haswell's Frog	<i>Paracrinia haswelli</i>
Leaf Green Tree Frog	<i>Litoria phyllochroa</i>
Leaf Green Tree Frog	<i>Litoria nudidigita</i>
Leseur's Frog	<i>Litoria lesueuri</i>
Peron's Tree Frog	<i>Litoria peronii</i>
Southern Smooth Froglet	<i>Geocrinia laevis</i>
Water-holding Frog	<i>Cyclorana platycephala</i>
Whistling Tree Frog	<i>Litoria verreauxii</i>

MAMMALS

Black Wallaby	<i>Wallabia bicolor</i>
Common Brushtail Possum	<i>Trichosurus vulpecula</i>
Common Ringtail Possum	<i>Pseudocheirus peregrinus</i>

Common Wombat

Vombatus ursinus

Fat-tailed Dunnart

Sminthopsis crassicaudata

Kowari

Dasyuroides byrnei

Plains Rat

Pseudomys australis

Red-legged Pademelon

Thylogale stigmatica

Red-necked Pademelon

Thylogale thetis

Red-necked Wallaby

Macropus rufogriseus

Rufous Bettong

Aepyprymnus rufescens

Rufous-bellied Pademelon

Thylogale billardieri

Southern Bettong

Bettongia gaimardi

Sugar Glider

Petaurus breviceps

Tammar Wallaby

Macropus eugenii

* END OF LIST *